

CELESTE

Rectangular mirror with front-facing light

Available sizes (cm): 60x80, 80x80, 100x80

FEATURES

Demister pad

Double touch sensor for light + demister

COMMON TECHNICAL DATA

Warranty: 3 years


Energy class: E

Service life: 50.000 hours

EU regulations: CE, ROHS, IP44

Electric current: 220/240V / 50-60Hz


LIGHT SOURCE



LED IP44 SOB 12v: Bi-LED light (3000-6000K)



TECHNICAL DRAWING



NON ELECTRICAL COMPONENTS

Frame	-
Rear frame	PVC
Hangers	Galvanized steel (See table)
General adhesive	Neutral silicone for glass
LED stripe adhesive	Fast drying polymer
Hanger adhesiver	High-strenght polymer
Wall anchors	Wall plugs + hooks (2+2). Not for drywall
Additional protection	PVC corner protection
User manual	LED CLBN Mirror manual

PACKAGING

Inner protection	Expanded PS
Outer box	Cardboard pre-assembled box + Cardoboard lid
ID label	Custom TENFORS Brand Label

CERTIFICATIONS

AIDDIME: 22003059 (SAFETY)

IMQ TECNOCREA: GENEX210101.00 (HARMONIZED) **CE**

HANGER SIZE PER MIRROR SIZE (cm)

		WIDTH																	
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
HEIGHT	40	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	50	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	60	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	70	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	80	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	90	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	100	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	110	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70
	120	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70

Distance between hooks

- 15cm hanger: 11cm
- 30cm hanger: 26cm
- 50cm hanger: 46cm
- 70cm hanger: 66cm
- 50+50cm hangers: 96cm
- 70+70cm hangers: 136cm

ELECTRIC POWER (W)

		WIDTH														
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
HEIGHT	40	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
	50	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	60	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
	70	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
	80	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
	90	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
	100	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
	110	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	120	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

LUMENS (lm)

		WIDTH														
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
HEIGHT	40	840	945	1050	1155	1260	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310
	50	945	1050	1155	1260	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415
	60	1050	1155	1260	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520
	70	1155	1260	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625
	80	1260	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625	2730
	90	1365	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625	2730	2835
	100	1470	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625	2730	2835	2940
	110	1575	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625	2730	2835	2940	3045
	120	1680	1785	1890	1995	2100	2205	2310	2415	2520	2625	2730	2835	2940	3045	3150