

NOVA

Round mirror with front-facing light

Available sizes (cm): Ø60, Ø80, Ø100



FEATURES

Demister pad

Double touch sensor for light + demister

COMMON TECHNICAL DATA

Warranty: 3 years


Energy class: E

Service life: 50.000 hours

EU regulations: CE, ROHS, IP44


Electric current: 220/240V / 50-60Hz

LIGHT SOURCE



LED IP44 SOB 12v: Bi-LED light (3000-6000K)

TECHNICAL DRAWING



NON ELECTRICAL COMPONENTS

Frame	-
Rear frame	Expanded PU
Hangers	Galvanized steel (See table)
General adhesive	Neutral silicone for glass
LED stripe adhesive	Fast drying polymer
Hanger adhesiver	High-strenght polymer
Wall anchors	Wall plugs + hooks (2+2). Not for drywall
Additional protection	-
User manual	LED CLBN Mirror manual

PACKAGING

Inner protection	Expanded PS
Outer box	Cardboard pre-assembled box + Cardoboard lid
ID label	Custom TENFORS Brand Label

CERTIFICATIONS

AIDDIME: 22003059 (SAFETY)

IMQ TECNOCREA: GENEX210101.00 (HARMONIZED) **CE**

HANGER SIZE PER MIRROR SIZE (cm)

DIAMETER																			
	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	
	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	

Distance between hooks

- 15cm hanger: 11cm
- 30cm hanger: 26cm
- 50cm hanger: 46cm
- 70cm hanger: 66cm
- 50+50cm hangers: 96cm
- 70+70cm hangers: 136cm

ELECTRIC POWER (W)

DIAMETER												
40	50	60	70	80	90	100	110	120	130	140	150	
12,6	15,7	18,8	22,0	25,1	28,3	31,4	34,6	37,7	40,8	44,0	47,1	

LUMENS (lm)

DIAMETER											
40	50	60	70	80	90	100	110	120	130	140	150
1319	1649	1979	2309	2639	2969	3299	3629	3958	4288	4618	4948