

VERONA

Rectangular mirror with ambient light

Available sizes (cm): 60x80, 80x80, 100x80



FEATURES

Demister pad

Double touch sensor for light + demister

COMMON TECHNICAL DATA

Warranty: 3 years

Energy class: E

Service life: 50.000 hours

EU regulations: CE, ROHS, IP44


Electric current: 220/240V / 50-60Hz

LIGHT SOURCE



LED IP44 SOB 12v: Bi-LED light (3000-6000K)

TECHNICAL DRAWING



NON ELECTRICAL COMPONENTS

Frame	-
Rear frame	ABS
Hangers	Galvanized steel (See table)
General adhesive	Neutral silicone for glass
LED stripe adhesive	Fast drying polymer
Hanger adhesiver	High-strenght polymer
Wall anchors	Wall plugs + hooks (2+2). Not for drywall
Additional protection	PVC corner protection
User manual	LED CLBN Mirror manual

PACKAGING

Inner protection	Expanded PS
Outer box	Cardboard pre-assembled box + Cardoboard lid
ID label	Custom TENFORS Brand Label

CERTIFICATIONS

AIDDIME: 22003059 (SAFETY)

IMQ TECNOCREA: GENEX210101.00 (HARMONIZED) **CE**

HANGER SIZE PER MIRROR SIZE (cm)

		WIDTH																		
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	
HEIGHT	40	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	50	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	60	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	70	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	80	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	90	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	100	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	110	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	
	120	15	30	30	30	30	50	50	50	50	70	70	70	50+50	50+50	50+50	70+70	70+70	70+70	

Distance between hooks

- 15cm hanger: 11cm
- 30cm hanger: 26cm
- 50cm hanger: 46cm
- 70cm hanger: 66cm
- 50+50cm hangers: 96cm
- 70+70cm hangers: 136cm

ELECTRIC POWER (W)

		WIDTH														
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
HEIGHT	40	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44
	50	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46
	60	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48
	70	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50
	80	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52
	90	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54
	100	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56
	110	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
	120	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60

LUMENS (lm)

		WIDTH														
		40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
HEIGHT	40	1680	1890	2100	2310	2520	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620
	50	1890	2100	2310	2520	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830
	60	2100	2310	2520	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040
	70	2310	2520	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250
	80	2520	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250	5460
	90	2730	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250	5460	5670
	100	2940	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250	5460	5670	5880
	110	3150	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250	5460	5670	5880	6090
	120	3360	3570	3780	3990	4200	4410	4620	4830	5040	5250	5460	5670	5880	6090	6300