

# VERONA

Round mirror with ambient light

Available sizes (cm): Ø60, Ø70, Ø80, Ø100



## FEATURES

Demister pad

Double touch sensor for light + demister

## COMMON TECHNICAL DATA

Warranty: 3 years


Energy class: E

Service life: 50.000 hours

EU regulations: CE, ROHS, IP44


Electric current: 220/240V / 50-60Hz

## LIGHT SOURCE



LED IP44 SOB 12v: Bi-LED light (3000-6000K)

## TECHNICAL DRAWING



## NON ELECTRICAL COMPONENTS

|                       |                                           |
|-----------------------|-------------------------------------------|
| Frame                 | -                                         |
| Rear frame            | PVC                                       |
| Hangers               | Galvanized steel (See table)              |
| General adhesive      | Neutral silicone for glass                |
| LED stripe adhesive   | Fast drying polymer                       |
| Hanger adhesiver      | High-strenght polymer                     |
| Wall anchors          | Wall plugs + hooks (2+2). Not for drywall |
| Additional protection | -                                         |
| User manual           | LED CLBN Mirror manual                    |

## PACKAGING

|                  |                                              |
|------------------|----------------------------------------------|
| Inner protection | Expanded PS                                  |
| Outer box        | Cardboard pre-assembled box + Cardoboard lid |
| ID label         | Custom TENFORS Brand Label                   |

## CERTIFICATIONS

AIDDIME: 22003059 (SAFETY)

IMQ TECNOCREA: GENEX210101.00 (HARMONIZED) **CE**

## HANGER SIZE PER MIRROR SIZE (cm)

| DIAMETER |    |    |    |    |    |    |     |     |     |     |     |     |       |       |       |       |       |       |  |
|----------|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|--|
|          | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160   | 170   | 180   | 190   | 200   | 210   |  |
|          | 15 | 30 | 30 | 30 | 30 | 50 | 50  | 50  | 50  | 70  | 70  | 70  | 50+50 | 50+50 | 50+50 | 70+70 | 70+70 | 70+70 |  |

### Distance between hooks

- 15cm hanger: 11cm
- 30cm hanger: 26cm
- 50cm hanger: 46cm
- 70cm hanger: 66cm
- 50+50cm hangers: 96cm
- 70+70cm hangers: 136cm

## ELECTRIC POWER (W)

| DIAMETER |      |      |      |      |      |      |      |      |      |      |      |
|----------|------|------|------|------|------|------|------|------|------|------|------|
| 40       | 50   | 60   | 70   | 80   | 90   | 100  | 110  | 120  | 130  | 140  | 150  |
| 12,6     | 15,7 | 18,8 | 22,0 | 25,1 | 28,3 | 31,4 | 34,6 | 37,7 | 40,8 | 44,0 | 47,1 |

## LUMENS (lm)

| DIAMETER |      |      |      |      |      |      |      |      |      |      |      |
|----------|------|------|------|------|------|------|------|------|------|------|------|
| 40       | 50   | 60   | 70   | 80   | 90   | 100  | 110  | 120  | 130  | 140  | 150  |
| 1319     | 1649 | 1979 | 2309 | 2639 | 2969 | 3299 | 3629 | 3958 | 4288 | 4618 | 4948 |